

AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1 PRODUCT IDENTIFIER

Product form:	Mixture
Trade name:	AF607FR1 Fiber Reinforced Duct Sealant
Product code:	AF607FR1
Type of product:	Adhesives, Sealants
Product group:	Trade product

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

1.2.1. Relevant identified uses:	Intended for general public.
1.2.2. Uses advised against:	No additional information available

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Company Name:	Allfasteners USA LLC, 480 Meadow Lane Carlstadt, NJ 07072, United States
Telephone:	201.783.8836
Fax:	201.783.8840
Email:	sales@allfasteners.com

1.4 EMERGENCY PHONE NUMBER

Emergency Telephone:

888.859.6060

SECTION 2: HAZARDOUS IDENTIFICATION

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

2.2 LABEL ELEMENTS

Label Elements

Hazard pictograms (CLP):	Not regulated
Signal word (CLP):	Not regulated
Hazard statements (CLP):	Not regulated
Precautionary statements (CLP):	Not regulated
GHS Label Elements:	Not regulated



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 SUBSTANCE

Chemical characterization:

Mixtures

3.2 MIXTURE

NAME	PRODUCT IDENTIFIER	%
Limestone	1317-65-3	10-40%
Talc	14807-96-6	10-40%
Propylene glycol	57-55-6	<5%

Additional information: For the wording of the listed Hazard Statements, refer to section 16.

SECTION 4: FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

General:	IF exposed or concerned: Get medical advice/attention.
Inhalation:	Respiration of particulates is unlikely during normal usage.
	Supply fresh air and to be sure to call for a doctor.
	In case of unconsciousness place patient stably in side position for transportation.
Skin contact:	Immediately wash with water and soap and rinse thoroughly.
	If skin irritation or rash occurs: Get medical advice/attention.
Eye contact:	Remove contact lenses if worn.
	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Ingestion:	Rinse out mouth and then drink plenty of water.
	Do not induce vomiting; immediately call for medical help.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Symptoms/injuries after	Nausea in case of ingestion.
skin contact:	May cause gastro-intestinal irritation if ingested.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Treat symptomatically.



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 5: FIREFIGHTING MEASURES

5.1 EXTINGUISHING MEDIA

Suitable extinguishing media:The product is not flammable.Use fire fighting measures that suit the environment.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

Hazardous decompositionFormation of toxic gases is possible during heating or in case of fire.products in case of fire:

5.3 ADVICE FOR FIRE-FIGHTERS

 Protection during firefighting:
 Wear self-contained respiratory protective device.

 Wear fully protective suit.
 Wear fully protective suit.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Ensure adequate ventilation.

Use personal protective equipment as required.

6.2 ENVIRONMENTAL PRECAUTIONS

Avoid release to the environment.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Towel or mop up material and collect in a suitable container. For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

6.4 REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Precautions for safe handling:	Use only in well ventilated areas. Avoid contact with the eyes and skin.		
Hygiene measures:	Do not eat, drink or smoke when using this product. Always wash hands after handling the product.		
6.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES			
Requirements to be met by	Store in cool, dry conditions in well sealed receptacles		

storerooms and receptacies.	
Information about storage	Store away from oxidizing agents.
in one common storage facility:	Store away from foodstuffs

7.3 SPECIFIC END USE(S)

storerooms and recentacles.

No additional information available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Components with limit values that require monitoring at the workplace:

	PEL (USA)	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction
1317-65-3 Limestone REL (US		Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
	TLV (USA)	TLV withdrawn
PEL (USA) REL (USA)		Long-term value: 20 mppcf ppm (containing <1% Quartz)
		Long-term value: 2* mg/m ³ *respirable dust; and <1% Quartz
14807-96-6 Talc	TLV (USA)	Long-term value: 2* mg/m ³ *as respirable fraction; E
	EL (Canada)	Long-term value: 2 *0.1 f/cc mg/m ³ resp. *if contains asbestos : ACGIH A1, IARC 1
	EV (Canada)	Long-term value: 2* mg/m³, 2 f/cc ppm *respirable
	LMPE (Mexico)	Long-term value: 2* mg/m ³ A4, *fracción respirable
57-55-6 Propylene	WEEL (USA)	Long-term value: 10 mg/m ³
glycol	EV (Canada)	Long-term value: 155* 10** mg/m³, 50* ppm *vapor and aerosol;**aerosol only



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

8.2 EXPOSURE CONTROLS

General protective and hygienic measures:	Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands before breaks and at the end of work.
Engineering controls:	No relevant information available.
Breathing equipment:	Not required under normal conditions of use. A NIOSH approved dust respirator should be used for operations generating dust.
Protection of hands:	Gloves are advised for repeated or prolonged contact. Wear protective gloves to handle contents of damaged or leaking units. The glove material has to be impermeable and resistant to the product/ the substance/ the prepara- tion.
Eye protection:	Follow relevant national guidelines concerning the use of protective eyewear.
Limitation and supervision of exposure into the environment Risk management measures:	Avoid release to the environment. No relevant information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Liquid.	Decomposition temperature:	
Color:	Gray.	Flammability (solid, gas):	Not determined.
Odor:	Mild	Vapor pressure:	Not determined.
Odor threshold:	No determined.	Relative vapor density at 20 °C:	No data available.
pH:	Not determined.	Relative density:	1.35 ± 0.04
Relative evaporation rate (butyl acetate=1):	No data available.	Danger of explosion:	No explosion hazard
	Not applicable.	Solubility:	Soluble in water.
Melting point:	Not determined.	Log Pow:	No data available.
Freezing point:	Not applicable.	Viscosity, kinematic:	Not applicable.
Boiling point:	Not determined.	Viscosity, dynamic:	No data available.
Flash point:	Not applicable. Not flammable	Explosive properties:	No data available.
		Oxidizing properties:	Not oxidizing.
Auto-ignition temperature:	Not determined.	Explosive limits:	Not applicable.

9.2 OTHER INFORMATION

VOC content:

< 1 g/l



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY

No relevant information available.

10.2 CHEMICAL STABILITY

Stable under normal conditions.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Reacts with strong oxidizing agents.

10.4 CONDITIONS TO AVOID

Excessive heat.

10.5 INCOMPATIBLE MATERIALS

Oxidizers

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Under fire conditions only: Carbon monoxide and carbon dioxide Nitrogen oxides (NOx)

10.7 THERMAL DECOPOSITION/CONDITIONSTO BE AVOIDED

No decomposition if used and stored according to specifications.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Acute toxicity:

.

Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant	
for classification:	None
Irritant effect - on skin:	Based on available data, the classification criteria are not met
Irritant effect - on eye:	Based on available data, the classification criteria are not met
Sensitization:	Based on available data, the classification criteria are not met
Germ Cell Mutagenicity:	Based on available data, the classification criteria are not met
Carcingenicity:	Based on available data, the classification criteria are not met
Reproductive toxicity:	Based on available data, the classification criteria are not met
STOT-single exposure:	Based on available data, the classification criteria are not met
STOT-repeated exposure:	Based on available data, the classification criteria are not met
Aspiration hazard:	Based on available data, the classification criteria are not met



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

11.2 IARC (INTERNATIONAL AGENCY OF RESEARCH ON CANCER)

None of the ingredients are listed.

11.3 NTP (NATIONAL TOXICOLOGY PROGRAM)

None of the ingredients are listed.

11.4 OSHA-CA (OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION)

None of the ingredients are listed.

SECTION 12: ECOLOGICAL INFORMATION				
12.1 TOXICITY				
Aquatic toxicity:	No relevant information available.			
12.2 PERSISTENCE AND DEGRADABILITY				
No relevant information available.				
12.3 BIOACCUMULATIVE POTENTIAL				

No relevant information available.

12.4 MOBILITY IN SOIL

No relevant information available.

12.5 OTHER ADVERSE EFFECTS

No relevant information available.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Waste treatment methods:	Can be disposed of with household garbage after solidification following consultation with the waste		
	disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.		
	The user of this material has the responsibility to dispose of unused material, residues and containers in		
	compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and		
	disposal for hazardous and nonhazardous wastes.		
Uncleaned packagings:	Disposal must be made according to official regulations.		



AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 14: TRANSPORT INFORMATION

In accordance with ADR / RID / IMDG / IATA / ADN

14.1 UN NUMBER

DOT, ADR/RID/ADN, IMDG, IATA: Not regulated.

14.2 UN PROPER SHIPPING NAME

DOT, ADR/RID/ADN, IMDG, IATA: Not regulated.

14.3 TRANSPORT HAZARD CLASS(ES)

DOT, ADR/RID/ADN, IMDG, IATA Class: Not regulated.

14.4 PACKING GROUP

DOT, ADR/RID/ADN, IMDG, IATA: Not regulated.

14.5 ENVIRONMENTAL HAZARDS

Marine pollutant: No

14.6 SPECIAL PRECAUTIONS FOR USER

Not applicable.

14.7 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not applicable.

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Section 302 (Extremely hazardous substances):	None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	None of the ingredients are listed.	
TSCA (Toxic Substances Control Act)	All ingredients are listed or exempt.	
Proposition 65 (California)		
Chemicals known to cause cancer:	Reference to talc not applicable to product, as product contains no asbestiform fibers. 14807-96-6 Talc	
Chemicals known to cause developmental		
toxicity for females:	None of the ingredients are listed.	
Chemicals known to cause developmental		
toxicity for males:	None of the ingredients are listed.	
Chemicals known to cause developmental		
toxicity:	None of the ingredients are listed.	
EPA (Environmental Protection Agency):	None of the ingredients are listed.	
IARC (International Agency for Research on Cancer):	None of the ingredients are listed.	
Canadian Domestic Substances List (DSL):	All ingredients are listed or exempt.	

AF607FR1 COMMERCIAL GRADE DUCT SEALANT W/ FIBER REINFORCEMENT

SECTION 16: OTHER INFORMATION

16.1 ABBREVIATIONS AND ACRONYMS

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG:	International Maritime Code for Dangerous Goods
DOT:	US Department of Transportation
IATA:	International Air Transport Association
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent
OSHA:	Occupational Safety & Health Administration

16.2 SOURCES

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/

overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN:

978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

16.3 DISCLAIMER

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product