



CARRIAGE BOLTS

ZINC & GALVANIZED




Carriage bolts have a round head with a square neck under the head and a coarse thread pitch. The square neck is designed to keep the bolt from rotating as the nut is tightened.

KEY BENEFITS

- Round Head leaves finished look after installation
- Square Neck Designed to Keep Bolt from Turning when Nut is Tightened
- Grade A307

PERFORMANCE DATA

ZINC PLATED



| Carriage Bolts - Round Head, Square Neck | | | | | | | | | | | | ASME B18.5-1990 | |
|--|--------|---------------|-------|---------------|-------|-------------|-------|--------------|-------|--------------|-------|-----------------|--|
| Basic Bolt Diameter | | E | | A | | H | | O | | P | | | |
| | | Body Diameter | | Head Diameter | | Head Height | | Square Width | | Square Depth | | | |
| | | Max | Min | Max | Min | Max | Min | Max | Min | Max | Min | | |
| 6 | 0.1380 | 0.122 | 0.108 | 0.313 | 0.278 | 0.086 | 0.071 | 0.160 | 0.135 | 0.094 | 0.062 | | |
| 8 | 0.1640 | 0.173 | 0.157 | 0.328 | 0.298 | 0.102 | 0.083 | 0.169 | 0.155 | 0.108 | 0.078 | | |
| 10 | 0.1900 | 0.199 | 0.182 | 0.469 | 0.436 | 0.114 | 0.094 | 0.199 | 0.185 | 0.125 | 0.094 | | |
| 12 | 0.2160 | 0.225 | 0.206 | 0.500 | 0.468 | 0.149 | 0.125 | 0.215 | 0.197 | 0.135 | 0.105 | | |
| 1/4 | 0.2500 | 0.260 | 0.237 | 0.594 | 0.563 | 0.145 | 0.125 | 0.260 | 0.245 | 0.156 | 0.125 | | |
| 5/16 | 0.3125 | 0.324 | 0.298 | 0.719 | 0.688 | 0.176 | 0.156 | 0.324 | 0.307 | 0.187 | 0.156 | | |
| 3/8 | 0.3125 | 0.388 | 0.360 | 0.844 | 0.782 | 0.208 | 0.188 | 0.388 | 0.368 | 0.219 | 0.188 | | |
| 7/16 | 0.4375 | 0.452 | 0.421 | 0.969 | 0.907 | 0.239 | 0.219 | 0.452 | 0.431 | 0.250 | 0.219 | | |
| 1/2 | 0.5000 | 0.515 | 0.483 | 1.094 | 1.032 | 0.270 | 0.250 | 0.515 | 0.492 | 0.281 | 0.250 | | |
| 5/8 | 0.6250 | 0.642 | 0.605 | 1.344 | 1.219 | 0.344 | 0.313 | 0.642 | 0.616 | 0.344 | 0.313 | | |
| 3/4 | 0.7500 | 0.768 | 0.729 | 1.594 | 1.469 | 0.406 | 0.375 | 0.768 | 0.741 | 0.406 | 0.375 | | |

| Tolerance on Length | Nominal Bolt Size | Nominal Bolt Length | | | | |
|---------------------|-------------------|---------------------|--------------------------------|--------------------------------|----------------------------|--------------|
| | | Up to 1 in. incl. | Over 1 in. to 2-1/2 in., incl. | Over 2-1/2 in. to 4 in., incl. | Over 4 in. to 6 in., incl. | Over 6 in. |
| | No.6 thru 3/8 | +0.02 - 0.03 | +0.02 - 0.04 | +0.04 - 0.06 | +0.06 - 0.10 | +0.10 - 0.18 |
| 7/16 and 1/2 | +0.02 - 0.03 | +0.04 - 0.05 | +0.06 - 0.08 | +0.08 - 0.10 | +0.12 - 0.18 | |
| 9/16 and 3/4 | +0.02 - 0.03 | +0.06 - 0.08 | +0.08 - 0.10 | +0.10 - 0.10 | +0.14 - 0.18 | |

†Length of a cap screw is measured from the underhead bearing surface to the extreme end of the screw.

ASME B18.5-1990 does not specify dimensions for the #6, #8 or #12 diameters. Data listed for these sizes is independent of the ASME specification.



CARRIAGE BOLTS

ZINC & GALVANIZED

PERFORMANCE DATA

HOT DIP GALVANIZED



| | |
|-------------------------------|--|
| Description | Low Carbon Steel Carriage: Round head bolt with a square neck under the head, and a unified thread pitch. Made from low or medium carbon steel. Hot-Dip Galvanized Steel Carriage: Carriage bolt made from low or medium carbon steel with a galvanic zinc finish applied. |
| Application/Advantages | Low Carbon Steel Carriage: The square neck is designed to keep the bolt from turning as a nut is tightened. Hot-Dip Galvanized Steel Carriage: Same design advantages a low carbon carriage bolt but with a thicker protective coating for outdoor use. Often used in outdoor furniture. |
| Material | Low Carbon Steel & Hot-Dip Galvanized Steel Carriage: AISI 1006 - 1050 or equivalent steel. |
| Core Hardness | Low Carbon Steel & Hot-Dip Galvanized Steel Carriage: Rockwell B70 - B100. |
| Proof Load | Low Carbon Steel Carriage: 33,000 psi. |
| Yield Strength* | Low Carbon Steel Carriage: 36,000 psi. minimum. |
| Tensile Strength | Low Carbon Steel Carriage: 60,000 psi. minimum. |
| Elongation* | Low Carbon Steel Carriage: 18% minimum |
| Reduction of Area* | Low Carbon Steel Carriage: 35% minimum (all sizes) |
| Minimum Thread Length | The minimum length of thread shall be equal to twice the basic bolt diameter plus 0.25in. for bolts 6in. or shorter, and twice the diameter plus 0.50 in. for bolts longer than 6in. |
| Plating | See Appendix A for information on the plating of steel carriage bolts |

* These properties are tested only on machined specimens when the testing machine cannot provide for full length testing of the parts.

** Product standards require the manufacturer's head marking to appear on the top of all bolts 1/4" diameter and larger. "X" represents one location such a marking may appear.

**CARRIAGE BOLTS**
ZINC & GALVANIZED**ORDERING INFORMATION****ZINC PLATED**

| PART # | SIZE | QUANTITY / BOX |
|---------------|-----------------|----------------|
| 2CBA307014034 | 1/4-20 x 3/4 | 100 / BOX |
| 2CBA307014100 | 1/4-20 x 1 | 100 / BOX |
| 2CBA307014114 | 1/4-20 x 1-1/4 | 100 / BOX |
| 2CBA307014112 | 1/4-20 x 1-1/2 | 100 / BOX |
| 2CBA307014200 | 1/4-20 x 2 | 100 / BOX |
| 2CBA307014212 | 1/4-20 x 2-1/2 | 100 / BOX |
| 2CBA307014300 | 1/4-20 x 3 | 100 / BOX |
| 2CBA307014312 | 1/4-20 x 3-1/2 | 100 / BOX |
| 2CBA307014400 | 1/4-20 x 4 | 100 / BOX |
| 2CBA307014412 | 1/4-20 x 4-1/2 | 100 / BOX |
| 2CBA307014500 | 1/4-20 x 5 | 100 / BOX |
| 2CBA307516034 | 5/16-18 x 3/4 | 100 / BOX |
| 2CBA307516100 | 5/16-18 x 1 | 100 / BOX |
| 2CBA307516114 | 5/16-18 x 1-1/4 | 100 / BOX |
| 2CBA307516112 | 5/16-18 x 1-1/2 | 100 / BOX |
| 2CBA307516200 | 5/16-18 x 2 | 100 / BOX |
| 2CBA307516212 | 5/16-18 x 2-1/2 | 100 / BOX |
| 2CBA307516300 | 5/16-18 x 3 | 100 / BOX |
| 2CBA307516312 | 5/16-18 x 3-1/2 | 50 / BOX |
| 2CBA307516400 | 5/16-18 x 4 | 50 / BOX |
| 2CBA307516412 | 5/16-18 x 4-1/2 | 50 / BOX |
| 2CBA307038034 | 3/8-16 x 3/4 | 100 / BOX |
| 2CBA307038100 | 3/8-16 x 1 | 100 / BOX |
| 2CBA307038114 | 3/8-16 x 1-1/4 | 100 / BOX |
| 2CBA307038112 | 3/8-16 x 1-1/2 | 100 / BOX |
| 2CBA307038200 | 3/8-16 x 2 | 100 / BOX |
| 2CBA307038212 | 3/8-16 x 2-1/2 | 50 / BOX |
| 2CBA307038300 | 3/8-16 x 3 | 50 / BOX |
| 2CBA307038312 | 3/8-16 x 3-1/2 | 50 / BOX |

| PART # | SIZE | QUANTITY / BOX |
|---------------|----------------|----------------|
| 2CBA307038400 | 3/8-16 x 4 | 50 / BOX |
| 2CBA307038412 | 3/8-16 x 4-1/2 | 50 / BOX |
| 2CBA307038500 | 3/8-16 x 5 | 50 / BOX |
| 2CBA307038512 | 3/8-16 x 5-1/2 | 50 / BOX |
| 2CBA307038600 | 3/8-16 x 6 | 50 / BOX |
| 2CBA307038700 | 3/8-16 x 7 | 50 / BOX |
| 2CBA307038800 | 3/8-16 x 8 | 50 / BOX |
| 2CBA307038010 | 3/8-16 x 10 | 50 / BOX |
| 2CBA307012100 | 1/2-13 x 1 | 50 / BOX |
| 2CBA307012112 | 1/2-13 x 1-1/2 | 50 / BOX |
| 2CBA307012200 | 1/2-13 x 2 | 50 / BOX |
| 2CBA307012212 | 1/2-13 x 2-1/2 | 50 / BOX |
| 2CBA307012300 | 1/2-13 x 3 | 50 / BOX |
| 2CBA307012312 | 1/2-13 x 3-1/2 | 25 / BOX |
| 2CBA307012400 | 1/2-13 x 4 | 25 / BOX |
| 2CBA307012412 | 1/2-13 x 4-1/2 | 25 / BOX |
| 2CBA307012500 | 1/2-13 x 5 | 25 / BOX |
| 2CBA307012512 | 1/2-13 x 5-1/2 | 25 / BOX |
| 2CBA307012600 | 1/2-13 x 6 | 25 / BOX |
| 2CBA307012700 | 1/2-13 x 7 | 25 / BOX |
| 2CBA307012800 | 1/2-13 x 8 | 25 / BOX |
| 2CBA307012900 | 1/2-13 x 9 | 25 / BOX |
| 2CBA307012010 | 1/2-13 x 10 | 25 / BOX |
| 2CBA307012012 | 1/2-13 x 12 | 25 / BOX |
| 2CBA307058400 | 5/8-11 x 4 | 25 / BOX |
| 2CBA307058800 | 5/8-11 x 8 | 10 / BOX |
| BULK | | |
| 2CB38100-B | 3/8-16 x 1 | 1000 / CARTON |

**CARRIAGE BOLTS**
ZINC & GALVANIZED**ORDERING INFORMATION**

HOT DIP GALVANIZED

| PART # | SIZE | QUANTITY / BOX |
|------------|-----------------|----------------|
| 2CBG014200 | 1/4-20 x 2 | 100 / BOX |
| 2CBG014212 | 1/4-20 x 2-1/2 | 100 / BOX |
| 2CBG516112 | 5/16-18 x 1-1/2 | 100 / BOX |
| 2CBG516200 | 5/16-18 x 2 | 100 / BOX |
| 2CBG516212 | 5/16-18 x 2-1/2 | 100 / BOX |
| 2CBG516300 | 5/16-18 x 3 | 100 / BOX |
| 2CBG038112 | 3/8-16 x 1-1/2 | 100 / BOX |
| 2CBG038200 | 3/8-16 x 2 | 100 / BOX |
| 2CBG038212 | 3/8-16 x 2-1/2 | 50 / BOX |
| 2CBG038300 | 3/8-16 x 3 | 50 / BOX |
| 2CBG038312 | 3/8-16 x 3-1/2 | 50 / BOX |
| 2CBG038400 | 3/8-16 x 4 | 50 / BOX |
| 2CBG038412 | 3/8-16 x 4-1/2 | 50 / BOX |
| 2CBG038500 | 3/8-16 x 5 | 50 / BOX |
| 2CBG038600 | 3/8-16 x 6 | 50 / BOX |
| 2CBG038700 | 3/8-16 x 7 | 50 / BOX |
| 2CBG038800 | 3/8-16 x 8 | 50 / BOX |

| PART # | SIZE | QUANTITY / BOX |
|------------|----------------|----------------|
| 2CBG038900 | 3/8-16 x 9 | 50 / BOX |
| 2CBG012100 | 1/2-13 x 1 | 50 / BOX |
| 2CBG012112 | 1/2-13 x 1-1/2 | 50 / BOX |
| 2CBG012200 | 1/2-13 x 2 | 50 / BOX |
| 2CBG012212 | 1/2-13 x 2-1/2 | 50 / BOX |
| 2CBG012300 | 1/2-13 x 3 | 50 / BOX |
| 2CBG012312 | 1/2-13 x 3-1/2 | 25 / BOX |
| 2CBG012400 | 1/2-13 x 4 | 25 / BOX |
| 2CBG012412 | 1/2-13 x 4-1/2 | 25 / BOX |
| 2CBG012500 | 1/2-13 x 5 | 25 / BOX |
| 2CBG012600 | 1/2-13 x 6 | 25 / BOX |
| 2CBG012700 | 1/2-13 x 7 | 25 / BOX |
| 2CBG012800 | 1/2-13 x 8 | 25 / BOX |
| 2CBG012900 | 1/2-13 x 9 | 25 / BOX |
| 2CBG012010 | 1/2-13 x 10 | 25 / BOX |
| 2CBG012120 | 1/2-13 x 12 | 25 / BOX |